

Individualize Goals and Therapy

Entry A1C < 7.5%

MONOTHERAPY

Metformin
If not tolerating Metformin or if contraindicated, substitute with a medication below

SGLT-2i
 Empagliflozin ▲ ◆
 Ertugliflozin ■ ● ▲ ◆
 Dapagliflozin ●

GLP-1 RA
 Exenatide ■ ◆
 Liraglutide ■ ● ◆
 Dulaglutide or Lixisenatide ● ▲

Semaglutide ▲ ◆

DPP-4i
 Alogliptin ■ ● ▲ ◆
 Sitagliptin ◆

TZD
 Pioglitazone ■ ● ▲ ◆ ◆
 Rosiglitazone ■ ◆

SU
 Glipizide, Glimepiride, Glyburide ■ ● ▲ ◆ ◆ ◆

GLN
 Repaglinide ■ ● ▲ ◆
 Nateglinide ■ ● ▲ ◆ ◆

If not at goal in 3 months, proceed to Dual Therapy

Entry A1C ≥ 7.5%

DUAL THERAPY

Metformin +
(or substitute)

SGLT-2i
 Empagliflozin ▲ ◆
 Ertugliflozin ■ ● ▲ ◆
 Dapagliflozin ●

GLP-1 RA
 Exenatide ■ ◆
 Liraglutide ■ ● ◆
 Dulaglutide or Lixisenatide ● ▲

Semaglutide ▲ ◆

DPP-4i
 Alogliptin ■ ● ▲ ◆
 Sitagliptin ◆

TZD
 Pioglitazone ■ ● ▲ ◆ ◆
 Rosiglitazone ■ ◆

SU
 Glipizide, Glimepiride, Glyburide ■ ● ▲ ◆ ◆ ◆

Insulin
 Basaglar Kwikpen ■ ● ▲ ◆ ◆ ◆

GLN
 Repaglinide ■ ● ▲ ◆
 Nateglinide ■ ● ▲ ◆ ◆

If not at goal in 3 months, proceed to Triple Therapy

TRIPLE THERAPY

Metformin +
(or substitute)

Dual Therapy Medication
+
Additional Dual Therapy Medication

If not at goal in 3 months, proceed to Insulin

Entry A1C ≥ 9.5%

Symptoms

NO	YES
DUAL Therapy	INSULIN ± Other Agents
OR	
TRIPLE Therapy	

ADD OR INTENSIFY INSULIN
Refer to Insulin Algorithm

- Key**
- Horizon NJ Health
 - UnitedHealthcare NJ FamilyCare
 - ▲ Aetna Better Health of New Jersey
 - ◆ Amerigroup RealSolutions
 - ◆ Wellcare NJ Medicaid